


Prensas en frio


Ormamacchine / P25/2



Cold press Ormamacchine type P 25/2
Platens dimension 2500 x 1300 mm
N.2 pressing pistons diameter 65 mm
Stroke of pistons and platen opening 500 mm
Max pressure 10 tons
CE rules
Voltage 400/3/50

Bancos de armar


Ormamacchine / FUTURA ECO 30-20



Useful working dimensions 3000x2000 mm
V 400/3/50 - CE Rules

[More Info](#)

Ormamacchine / DE NEW 30/17



Useful working dimensions 3000x1700 mm
2 vert. cylinders \varnothing 50/28 mm, stroke 150 mm
total thrust 2.5 tons
2 horiz. cylinders \varnothing 50/28 mm, stroke 150 mm
total thrust 0.62 tons

Prensas platos calientes

Ormamacchine / NPC DIGIT 25/18



Press NPC/DIGIT 25/18 AF-BO
n.6 pressing cylinders Diam.=140 stroke=400
Solid drilled steel platens dimension 2500x1800mm
n.2 Solid drilled steel intermediate platens dim. 2500x1800mm
mylar covered platens
Max. total thrust 300 ton.
Control board in case
electric boiler for thermal oil heating 60 kw
possibility to partially use the boiler
Timer opening
Keyboard with display
Emergency rope

2022/S

124.000 €